	Application No.	Applicant(s)
Made P AH 1 ****	09/902,188	BISGARD-FRANTZEN ET AL.
Notice of Allowability	Examiner	Art Unit
	Rebecca E. Prouty	1652
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed 10/6/04.		
2. The allowed claim(s) is/are 73-77,91-95,109-113,127-131 and 140-155.		
3. The drawings filed on 10 July 2001 are accepted by the Examiner.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c) None of the: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No</li> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
<ul> <li>6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> </ul>		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
<ul> <li>Attachment(s)</li> <li>1. ☑ Notice of References Cited (PTO-892)</li> <li>2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 10/04)</li> <li>4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	6. ☐ Interview Summary Paper No./Mail Da 08), 7. ☑ Examiner's Amend	
		·

Application/Control Number: 09/902,188

Art Unit: 1652

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Jason Garbell on 1/4/05.

## EXAMINER'S AMENDMENT

Cancel Claims 68-72, 86-90, 104-108, and 122-126

The following is an examiner's statement of reasons for allowance:

Upon further consideration by the examiner of applicants arguments presented 10/6/04 and the state of the art with regard to modification of alpha amylases which are structurally similar to SEQ ID NO:3, the rejection of Claims 73-75, 91-93, 109-111, and 127-129 under 35 U.S.C. 112, first paragraph, for lack of enablement of the full scope of the claims is withdrawn. The state of the art at the time of the instant invention provided the skilled artisan substantial guidance for the modification alpha amylases which are structurally similar to SEQ ID NO:3.

Art Unit: 1652

The prior art provided the skilled artisan with disclosures of the modification of many positions within the structure of SEQ ID NO:3 and other highly similar thermostable Bacillus alpha amylases (see for example, Holm et al. and WO95/10603) as well as the three dimensional structure of a highly similar thermostable Bacillus alpha amylase (see Machius et al.). Thus the prior art provided the skilled artisan disclosure of which residues are important for catalytic activity, calcium binding, and maintaining the structure of the enzyme. Therefore, while modifications of the exemplified variants to produce other variants having 80%-90% identity thereto would require a substantial amount of additional experimentation, this experimentation is not deemed to be undue in view of the large amount of quidance provided by the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rebecca Prouty, Ph.D. whose telephone number is (571) 272-0937. The examiner can normally be reached on Monday-Friday from 8:30 to 4:30.

Art Unit: 1652

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ponnathapura Achutamurthy, can be reached at (571) 272-0928. The fax phone number for this Group is 571-273-8300.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (571) 272-1600.

Rebecca Prouty Primary Examiner Art Unit 1652